



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



DISCLAIMERS

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

Case Veh. (A): 1999 Pontiac

Type: Grand AM SE, 4-door sedan

Driver: 20-year-old female

CDC: 02-RYEW-3, 12-FDEW-1

Vehicle (B): 1993 Ford

Type: Bronco 4x4, 2-door MPV

Driver: 54-year-old female

CDC: 99-ØØØØ-Ø

Situation

(Slide 1, 2) The weather was clear, the roads were dry, and it was daylight. Case vehicle (A) was stopped facing east at a 4-leg intersection in the eastbound lane of a 2-lane asphalt road in a rural area. Vehicle (B) was traveling west at an estimated speed of 35 mph (56 kph) in the westbound lane of the 2-lane roadway. The intersection is at the top of a hill, and is posted with 3-way stop signs at the north, east, and south corners. Westbound traffic does not have to stop at the intersection. As vehicle (B) approached the intersection with the right-of-way, the driver of case vehicle (A) began crossing the westbound lane, so as to travel north on the intersecting road. The driver of vehicle (B) was unable to avoid striking the right side of case vehicle (A) with its front. (Slide 3, 4) After the impact, case vehicle (A) rotated counterclockwise, exited the northwest edge of the road, struck a guardrail with its front-end, and came to rest against the guardrail just off the roadway, facing in a northwest direction.

(Slide 5 - 14) Using the SMASH accident-reconstruction program and c-values measured for case vehicle (A), the following Equivalent Barrier Speeds were calculated for both impacts:

		Calculated Velocity Change - kph (mph)		
Vehicle (impact #1)	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	34 (21)	-17 (-11)	-30 (-19)

		Calculated Velocity Change - kph (mph)		
Vehicle (impact #2)	Variable	Total	Longitudinal	Latitudinal
Case Vehicle (A)	EBS	12 (7)	-12 (-7)	0 (0)

Exterior Damage

(Slide 15) Damage to the right side of case vehicle (A) was moderate with a maximum crush of 31 cm to the right-front fender just forward of the A-pillar. The direct damage began at the rear portion of the right-front fender and extended 280 cm rearward along the right side. (Slide 16) The right-front fender was crushed, both right-side doors were damaged and jammed closed, and the right upper and lower A-pillars and B-pillars were deformed. (Slide 17) Also, the right-front wheel was damaged, but there was no change in right wheelbase. (Slide 18) The right-side impact damaged the right portion of the hood, allowing the rear edge of the hood to elevate. (Slide 19) Deformation of the right-upper A-pillar caused the right side of the windshield to break. (Slide 20) There was no damage to the left side and no change in the left wheelbase.

(Slide 21) The second impact to the front of case vehicle (A) was minor with a maximum crush of 2 cm to the left-front bumper corner. The direct damage extended 139 cm across the front bumper. (Slide 22) There were scratches on the front bumper and front facia. (Slide 23) The right-front headlight was displaced, but not broken. There was no other frontal damage from the second impact.

Interior Damage

(Slide 24, 25) This vehicle is equipped with steering-wheel and passenger frontal impact airbags, which may have deployed during the first impact to the right side or the minor frontal impact. (Slide 26) There was makeup on the steering-wheel airbag skin, but no visible damage. (Slide 27) There was no damage to the steering wheel and no rotation of the steering column. (Slide 28, 29) There was no damage to the upper or mid portions of the instrument panel, and the knee bolster had a 7-cm scuff mark from driver contact.

(Slide 30, 31, 32) The center console, glove compartment, and the ashtray were damaged and, in the right-front seat area, the door hardware and armrest were damaged. (Slide 33) Also, the right A-pillar, and the right-rear door panel were deformed. (Slide 34) The rearview mirror contacted and cracked the upper-center portion of the windshield. The right-front seat backrest and cushion were damaged, and the seatback was rotated to the right due to door intrusion. Also, the right-front seat adjuster was jammed.

The following intrusions were noted and measured:

Location	Component	Distance (cm)	Direction
Front right	Side door	16	to left
	Kickpanel	27	to left
	A-pillar	8	to left
	B-pillar	12	to left

Occupant Kinematics and Injuries

(Slide 35, 36, 37) The 20-year-old female driver was wearing the 3-point belt, as evidenced by a webbing imprint on the D-ring from the shoulder portion of the webbing and, damage to the plastic covering the belt retractor system. She reportedly had the seat in the full-forward seat track position, and the tilt steering-wheel in the lowest position. Her right hand was reportedly on the steering wheel and her left hand was on her left leg. The shoulder-belt anchor point was adjusted to the mid position on the B-pillar.

During the first impact, she moved to the right and forward against the belts and possibly from the deploying airbag. She sustained contusions to her left and right lower ribs, probably from the belts or the deploying airbag. (Slide 38) She sustained a contusion to the left side of her nose, and contusions around her left and right eyes, from the deploying airbag, as indicated by makeup on the steering-wheel airbag skin. She sustained cervical strain from impact forces or related to the airbag deployment. In addition, she sustained a contusion to her left anterior forearm and an abrasion to the top of her right

thumb, from the deploying airbag. (Slide 39) She sustained contusions to her left and right knees from contact with the knee bolster.

(Slide 40) The attached table summarizes the injury information for the driver.

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 20 years Stature: 163 cm (5 ft 4 in)


Sex: Female Mass: 59 kg (130 lb)

		Injury Source		
Injury Description	A.I.S.	Definite	Probable	Possible
Cervical strain	1		Impact forces, airbag	
Contusion, left side of nose	1	Airbag		
Contusion, around left eye	1	Airbag		
Contusion, around right eye	1	Airbag		
Contusion, lower right ribs	1		Shoulder portion of 3- point belt, airbag	
Contusion, lower left ribs	1		Shoulder portion of 3- point belt, airbag	
Contusion, left anterior forearm	1	Airbag		
Abrasion, top of right thumb	1		Airbag	
Contusion, left knee	1	Knee bolster		
Contusion, right knee	1	Knee bolster		
Maximum A.I.S. Level	1			
Injury Severity Score	<u>3</u>			

Duplicate columns 1-8 Module G 1 Format 0 from the previous card. 9 10 11		GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION	_	ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE (0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT VERTICAL PLANE (1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN ROAD ALIGNMENT HORIZONTAL PLANE (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED	33 2 34
(9) UNKNOWN ENVIRONMENTAL CONDITIONS LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE) (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN	28	(7) OTHER:	<u>√</u> 36 37
INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE TYPE OF ROAD SURFACE (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	30	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION (5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	38
ROAD DEFECTS (0) NO (1) YES (9) UNKNOWN	<u> </u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	39

GENERAL INFORMATION GI-2				
ENVIRONMENTAL CONDITIONS SPEED LIMIT (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 / (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	38	MECHANICAL MALFUNCTION WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT (9) UNKNOWN		
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN RATE OF PRECIPITATION (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN TEMPERATURE (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 (7) 26 TO 35 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN CROSSWIND	اع لاماء ماء	THE FOLLOWING SECTION SHOULD BE FILLED OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED. CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS. BRAKE SYSTEM DRIVER CONTROLS EXHAUST SYSTEM POWER TRAIN STEERING SYSTEM FUEL SYSTEM SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER: COMMENTS:		
(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	1 43			

		GENERAL INFORMATION	GI-3
CRASH DETAILS CASE VEHICLE AND OBJECT (0) NO (1) YES (9) UNKNOWN	45	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE) (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL	
CASE VEHICLE ROLLOVER (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	<u>O</u>	(5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN DRIVER IMPAIRMENT	<u>O</u> ss
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT) (0) NO (1) YES (9) UNKNOWN	<u>O</u>	DRIVER IMPAIRMENT DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE) (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>O</u> 54
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE (0) NO (1) YES (9) UNKNOWN	48	DRIVER ALCOHOL BAC (CASE VEHICLE) (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	<u>80</u>
CASE VEHICLE AND CONTACTED STOPPED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	<u>O</u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE (0) NO (1) YES (9) UNKNOWN	<u>O</u> 50	LIST IMPAIRMENTS MENTION	NED:
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH (8) 8 OR MORE (9) UNKNOWN	51	Post - Crash Detail MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE) (0) NO (1) YES (9) UNKNOWN	<u>O</u>	 (1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN 	<u>2</u>



Duplicate columns 1-8 Module O V Format 0 4 from the previous card.	OTHER VEHICLE	OV-1
MAKE: FORD MODEL: BRONCO MPV 4x	CARGO: UNKNOWN	
VIN 13 FMEU 15 H	3 P L	
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{2}{1}$ $\frac{1}{1}$ $\frac{5}{34}$	VEHICLE TYPE PASSENGER VEHICLE	
MAKE/MODEL CODE <u>3 / 2 5</u>	(02) LARGE (03) LIMOUSINE (17) PICKUP CAR	56 57
MODEL YEAR $\frac{1}{39} \frac{9}{9} \frac{9}{42}$	(20) UNKNOWN PASSENGER VEHICLE BODY (24) SUB-MINI (25) MINI (26) SUB-COMPACT	
VEHICLE MASS (kg) 0 0 2 0 7 4	(27) COMPACT (28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107*, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107*, E.G. PANEL TRUCK, SUBURBAN)	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) Output D 1	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER	
TRAVELING SPEED (km/h) 35 055	(31) CHASSIS-MOUNTED CAMPER	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY	(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S) BUS	
(4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE	(40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)	
(NOT APPLICABLE) (9) UNKNOWN	(68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)	
	(99) UNKNOWN WHEELBASE <i>(cm)</i> (999) UNKNOWN	266 58 59 80

Duplicate columns 1-8 from the previous card. Module O V Format 0 2 11 12

OTHER VEHICLE

OV-2

ORIGINAL SPECIFICATIONS

Wheelbase

Front Overhang

0 8 4 cm

Curb Weight

2074 kg

Average Track Width 13 4 cm

Rear Overhang $\frac{1}{25}$ $\frac{6}{27}$ cm Undeformed End Width (UEW) $\frac{9}{28}$ $\frac{9}{30}$ cm

$$\frac{46}{16}$$
 6 cm


Engine Displacement

5.8 31 08 33 34

Overall Length $\frac{46}{16}$ cm Overall Width (OAW) $\frac{20}{19}$ $\frac{1}{21}$ cm

Engine: # of Cylinders







FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

 $\frac{9}{35} \frac{9}{9} \frac{9}{37}$ cm

Front-End Overlap (Percent) = DDL

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module V D Format 0 4 from the previous card.	VEHICLE DESCRIPTION	VD-1
MAKE: PONTIAC MODEL: GRAND AM SE 4-000	CARGO: NONE	
VIN 13 G 2 N E 5 2	E 2 x M	29
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{1528}{34}$	STOLEN VEHICLE	
MAKE/MODEL CODE 033/38	(0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 82
MODEL YEAR		
VEHICLE MASS (kg) 0 0 1 3 8 6 ODOMETER (km) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	BODY STRUCTURE (1) BODY & FRAME (2) UNITIZED	2
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC) NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) SE S S S S S S S S S S S S S S S S S S	(3) INTEGRAL-STUB FRAME (4) BODY & PLATFORM FRAME (E.G. VW BUG) (5) PARTIALLY UNITIZED	
TRAVELING SPEED (km/h) 995	(7) OTHER:	
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRANSMISSION (0) NONE (1) AUTOMATIC (2) MANUAL (9) UNKNOWN	- 1
VEHICLE TYPE PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN	LOCATION OF TRANSMISSION SELECTOR LEVER (1) FLOOR (2) CONSOLE (3) COLUMN (7) OTHER: T9) UNKNOWN	<u>2</u> 65
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO) (22) LARGE UTILITY (E.G. PANEL TRUCK SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	STEERING (1) POWER (2) MANUAL (9) UNKNOWN	
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE (99) UNKNOWN	BRAKES (1) POWER (2) MANUAL (9) UNKNOWN	67

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 68	WHEELBASE (cm) (999) Unknown
BRAKE ANTI-LOCK DEVICE (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN AIR CONDITIONING IN VEHICLE (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u> 70	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN
TYPE OF DRIVE (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN DUAL REAR WHEELS (0) NO (1) YES (9) UNKNOWN ORIGINAL TYPE OF RESTRAINT SYSTEM (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	2 71 O 72 73	FIELD INVESTIGATOR INSTRUCTIONS: 1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3. USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. 2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE. 3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR. 4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE. EXAMPLES:
EQUIPPED WITH ROLL BAR (0) NO (1) YES (9) UNKNOWN TYPE OF ROOF (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	<u>74</u>	FRONT OR REAR ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL) SIDE

Duplicate columns 1-8 from the previous card. Module V D Format 0 2 9 10 11 12

VEHICLE DESCRIPTION

VD-3

ORIGINAL SPECIFICATIONS

Wheelbase

27/ cm

Front Overhang

 $\frac{1}{22}\frac{O}{O}$ cm

Curb Weight

Rear Overhang

$$\frac{^{22}}{^{25}} \underbrace{OC^{^{24}}_{^{27}} cm}$$

Average Track Width $\frac{1}{13} \frac{4}{9} \frac{9}{15}$ cm

$$\frac{1}{13} \frac{4}{9} \frac{9}{15}$$
 cm

Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{39}{30}$ cm

Overall Length


Engine Displacement

Overall Width (OAW) $\frac{1}{19}$ $\frac{7}{21}$ cm

Engine: # of Cylinders

VEHICLE DAMAGE





FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL) $\int_{35} \frac{3}{2} \frac{9}{37}$ cm

Front-End Overlap (Percent) = DDL UEW

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)

Duplicate columns 1-8 from the previous card. Module D A Format 0 2 11 12 DAMAGE DA-1					
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC			
EVENT NUMBER		VEH.B			
IMPACT SPEED (km/h)	999	$\frac{9}{35} \frac{9}{36} \frac{9}{37}$			
ESTIMATED BY					
CRUSH (cm)	<u>O3 (</u>	$\frac{9}{39} \frac{\cancel{6}}{\cancel{40}} \frac{\cancel{6}}{\cancel{41}}$			
CDC #1	<u>0</u> 2.RYEW.3	99.0000.0			
CDC #2	98.0000.0	99.0000.0			
	A_Format_0_3_0 11 12				
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC			
EVENT NUMBER	2	CUARDIAN			
IMPACT SPEED (km/h)	9 9 9 14 15 16	<u>998</u> 35 36 37			
ESTIMATED BY	<u>/</u>	<u>/</u> 38			
CRUSH (cm)	$\frac{O}{18} \frac{O}{19} \frac{2}{20}$	$\frac{998}{394041}$			
CDC #1	12.FDEW.1	98.0000.0 98.0000.C			
CDC #2	98.0000.0	98.0000.C			
	-				
Codes					
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH			
(8) NOT APPLICABL (9) UNKNOWN	.E (1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN			
IMPACT SPEED	(4) "CRASH" PROGRAM (5) OTHER COMPUTER PROGRAM	CDC			
(998) NOT APPLICA (999) UNKNOWN		(9800000) NOT APPLICABLE (9900000) UNKNOWN			

Duplicate columns 1-8 Mo from the previous card.	dule D A Format 0 1 12		DAMAGE DA-2		
	MAXIMUM SHEET METAL CRUSH				
	<i>(cm)</i> (99	9) UNKNOWN			
FRONT _	<u>O</u> <u>O</u> <u>2</u>	RIGHT SIDE	<u>0</u> 3 <u> </u>		
REAR _	$\frac{\mathcal{O}}{19} \frac{\mathcal{O}}{21}$	LEFT SIDE	<u>O</u> <u>O</u> <u>O</u> <u>24</u>		
ROOF _	$\frac{\mathcal{O}}{25}$ $\frac{\mathcal{O}}{27}$	OTHER	<u>O</u> <u>O</u> <u>O</u> 30		
CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE					
NOTE: IF CHRONOL IS UNKNOW ORDER IS O		DO YOU KNOW THIS TO BE IN CHRONOL (0) NO (1) YES	S TABLE LOGICAL ORDER?		
EVENT NUMBER	IMPACT LOCATION (1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	IMPACT CONFIGURATION FOR CODES, SEE TABLE ON PAGE DA-3.	OBJECT/VEHICLE CONTACTED FOR CODES, SEE TABLE ON PAGE DA-4.		
# 1	$\frac{1}{32}$ $\frac{2}{37}$	4 / - 34 17	1 <u>5</u> 91		
#2	37	39	<u>/</u> / 41		
#3	42	- 44	46		
#4	47	49			
#5	 52				
#6	57		 		
#7	62				

CODES FOR IMPACT CONFIGURATION

FRONT OF CASE VEHICLE

- (11) AND <u>FRONT</u> OF CONTACTED VEHICLE (13) AND <u>SIDE</u> OF CONTACTED VEHICLE

- (14) AND REAR OF CONTACTED VEHICLE (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

REAR OF CASE VEHICLE

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T)
- (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

UNKNOWN

(99) IMPACT TYPE UNKNOWN

CODES FOR VEHICLE/OBJECT CONTACTED

VEHICLE/OBJECT GROUPS

- NO OBJECT
- (01) (39) PASSENGER VEHICLE & TRUCK
- (40) (69) OTHER VEHICLE
- (70) (76) PEDESTRIAN & ON-ROADWAY OBJECT
- (77) (97) OFF-ROADWAY OBJECT
- OTHER (DESCRIBE)
- UNKNOWN (99)

PASSENGER VEHICLE

- (02) LARGE
- (03) LIMOUSINE
- (17) PICKUP
- (20) UNKNOWN PASSENGER VEHICLE BODY
- (24) SUB-MINI
- (25) MINI
- (26) SUB-COMPACT
- (27) COMPACT
- (28) INTERMEDIATE
- (29) FULL

SIZE

WHEELBASE

> 3175 mm (> 125")

SUB-MINI	< 2286 mm (< 90")
MINI	2286 - 2412 mm (90" - 94.9")
SUB-COMPACT	2413 - 2539 mm (95° - 99.9°)
COMPACT	2540 - 2666 mm (100" - 104.9")
INTERMEDIATE	2667 - 2793 mm (105" - 109.9")
FULL	2794 - 2920 mm (110" - 114.9")
LARGE	2921 - 3174 mm (115" - 124 9")

MULTIPURPOSE PASSENGER VEHICLE

- (11) SMALL VAN (MINI)
- (12) PICKUP

LIMOUSINE

- (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO)
- (15) LARGE UTILITY (WHEELBASE MORE THAN 107°, E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (17) PICKUP CAR WITH CANOPY/SHELL COVER
- (21) MOTOR HOME
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (23) PICKUP CAR WITH SLIDE-IN CAMPER
- (31) CHASSIS-MOUNTED CAMPER

TRUCK

- (11) SMALL VAN (E.G. ECONOLINE)
- (12) PICKUP TRUCK
- (13) UNKNOWN LIGHT TRUCK
- (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN)
- (16) PICKUP TRUCK WITH CANOPY/SHELL COVER
- (22) PICKUP TRUCK WITH SLIDE-IN CAMPER
- (30) UNKNOWN TRUCK TYPE
- (31) CHASSIS-MOUNTED CAMPER
- (33) DELIVERY VAN (WALK-IN)
- (34) STRAIGHT TRUCK
- (35) TRUCK-TRACTOR (BOBTAIL)
- (36) CHASSIS-CAB
- (37) UNKNOWN HEAVY TRUCK
- (38) TRACTOR & SEMI-TRAILER (SEMI)
- (39) TRUCK (OR SEMI) & FULL TRAILER(S)

Bus

- (40) UNKNOWN BUS TYPE
- (41) SCHOOL BUS
- (42) INTERCITY BUS (BETWEEN CITIES)
- (43) TRANSIT BUS (INTRACITY)
- (44) STREETCAR (ON TRACKS)

MOTORCYCLE

- (50) UNKNOWN MOTORCYCLE TYPE
- (51) 1 75 cc
- (52) 76 125 cc (53) 126 250 cc
- (54) 251 500 cc
- (55) 501 750 cc
- (56) 751 cc +
- (57) 3-WHEELS (OR WITH SIDECAR)

SPECIAL PURPOSE VEHICLE

- (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE)
- (61) SNOWMOBILE
- (62) ATV (ALL TERRAIN VEHICLE)
- (63) AMPHIBIOUS VEHICLE
- (64) FARM VEHICLE
- (65) CONSTRUCTION VEHICLE
- (66) TRAILER, PRIVATE (CAMPER)
- (67) TRAILER, COMMERCIAL (CARGO)
- (68) TRAIN (CARS)
- (69) LOCOMOTIVE (ENGINE, SWITCHER)

OBJECT

- (70) PEDESTRIAN
- (71) BICYCLIST, OTHER PEDALCYCLIST
- (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART)
- (73) LARGE ANIMAL
- (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS)
- (75) ROCKS
- (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65))
- (77) SIGN POST, UTILITY POLE, TREE
- (78) DITCH
- (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X
- (80) GROUND (ROLLOVER ONLY)
- (81) CURB (DAMAGE PRODUCING IMPACTS ONLY) (82) CULVERT
- (83) FENCE
- (84) HYDRANT, SHORT POST, STUMP
- (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR
- (86) BUILDING
- (87) PIER, PILLAR, BRIDGE SUPPORT
- (88) ABUTMENT, RETAINING WALL
- (89) BRIDGE RAIL
- (90) GUARD RAIL, LEADING SECTION

- (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE)
- (94) CABLE, FENCE BARRIER
- (95) CONCRETE BARRIER (MEDIAN)
- (96) IMPACT ATTENUATOR (97) BREAKAWAY FEATURES

Duplicate columns 1-8 Module C F from the previous card. 9 10	R Format 0 1 12		H RECONSTRUC 1 AV	TION CR-1
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		2 47	
ΔV (km/h) TOTAL	9 - 15 16	$\frac{9}{32} \frac{-}{33}$	0/48/49/50	66 67 68
LONGITUDINAL*	9	35 38	$\frac{-017}{51}$	69 72
LATERAL* *NOTE: THESE ΔV COMPONENTS	$\frac{g}{21}$ $\frac{1}{24}$	$\frac{9}{39} - \frac{42}{42}$	100C 55 58	73 - 76
MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = ± <u>0</u> 2 Z				
ENERGY DISSIPATED BY CRUSH (kj)	9 - 25	9	0008	8
RECONSTRUCTION				
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12		22	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE	29 30		63 64	
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE			. 0	
THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED				
MODE				
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	5 31		<u>2</u>	
SPECIFY: WI MANNEY				

Duplicate columns 1-8 Module C F from the previous card. 9 10	R Format 0 2	•	H RECONSTRUCT	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		2/47	
EBS (km/h) TOTAL	0 3 4	$\frac{9}{32} \frac{-}{33}$	012	66 67 68
LONGITUDINAL*	$\frac{-017}{17}$	35 38	<u>-012</u>	69 72
LATERAL* *NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN. EXAMPLES: 10 km/h = ± 0 1 0 -7 km/h = ± 0 2 7	$\frac{-030}{21}$	<u>5</u> — 42	<u>+0 0 0</u> 55 - 58	73 76
ENERGY DISSIPATED BY CRUSH (kj)	$\frac{00}{25} \frac{66}{28}$	9 — 46	<u> </u>	77 80
RECONSTRUCTION (01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL (21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL NOT RECONSTRUCTED BECAUSE (02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED	$\frac{2}{29}\frac{2}{30}$		2 2 64	
MODE (1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED COMPUTER PROGRAM SPECIFY:	2 31		<u>2</u>	

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>3</u> 10 11 12

CRASH RECONSTRUCTION

CR-3

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE ${\it C_1}$ TO ${\it C_6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

CASE VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.

Specific Impact No.	Lo	cation of Direct Dar	nage		Location of Field L
I	BEGINS	6cm FORWAL	ed of Rema	BECINS	AT RICHT - From
	AXLE			FENDE	۷.
2	BECINS A	T LEFT-FRONT	BUMPER	BLTO	76
SIZE - 3			CORNEL		
FLANE:	•	C6 C5 C4 C3 C2 C2	80		DL
(2) Above Bo (3) Sill (4) Above Si (5) Other (9) Unknown	II	C1		}	

	(9) Unknown		CRUSH	H PROFILI	IN CEN	VIMET	ERS				
	NOTE: Each			separate rec	ord (card).	Du	plicate col	<u>umns 1 - 1</u>	2 for each	complete	d line.
Specific Impact Number	Plane of Impact C-Measur.	Direct Length (DDL)	Damage Max Crush	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
1	4	280	34	348	0	12	24.5	32	21.5	16	+7
FREES	PACE		3		0	3	2.8	3	1.5	16	
TOTA	2		31		0	9	21.7	29	20	0	
1				2.0							
	4	280	03/	348	000		053	029	020	000	1007
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29		33 34 35	020 36 37 38		7007 42 43 44 45
					000 24 25 26 16.5						
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	
13	I PACE	15 16 17	18 19 20	21 22 23	24 25 26 /6.5	27 28 29 4.6	30 31 32	33 34 35	36 37 38 4. 6	18	
13 2 FREES	I PACE	15 16 17	18 19 20	21 22 23	16.5 16	4.6	30 31 32 1.5	33 34 35 7.5	36 37 38 4. 6 4	39 40 41 / 8 / 6	

Duplicate columns 1-8 from the previous card.

Module <u>C</u> <u>R</u> Format <u>0</u> <u>4</u> 11 12

CRASH RECONSTRUCTION

CR-4

NOTES:

- 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.
- 2. MEASURE C $_{\rm 1}$ TO C $_{\rm 6}$ FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.

OTHER VEHICLE

LOCATOR

- 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.
- 4. USE THE CENTER OF THE WHEELBASE AS THE CG.

Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.


Specific Impact No.	Location of Direct Damage	Location of Field L





- (1) Bumper
- (2) Above Bumper
- (3) Sill
- (4) Above Sill
- (5) Other ____

(9) Unknown



DL _____

UDL ____

CRUSH PROFILE IN CENTIMETERS

	NOTE: Each	line in the tab	le below is a	separate rec	ord (card).		plicate col	umns 1 - 1	2 for each	complete	d line.
Specific Impact Number	Plane of Impact		Damage Max	Field	C ₁	C ₂	C ₃	C ₄	C ₅	C ₆	±D
Number	C-Measur.	(DDL)	Crush	L							
·····											
									<u> </u>		
		_									
_											
1											
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
2											

Duplicate columns 1-8 from the previous card. Module W 7 10 10	Format <u>0</u>		WHEELS AND TIRES WT-1
WHEELSDAMAGED (0) NO (1) YES (9) UNKNOWN	LF RF RR LR		SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S) LF $\frac{P}{25}$ $\frac{2}{5}$ $\frac{75}{75}$ $\frac{8}{6}$ $\frac{1}{6}$ $\frac{6}{5}$ RF $\frac{1}{35}$ $\frac{1}{45}$
TIRE TREAD TYPE (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LF RF RR LR	4 4 2 20	LR
CARCASS CONSTRUCTION (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR LR	3 3 24	_
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 from the previous card. Module F 9	T Format 0		FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN		13	AUXILIARY TANK TYPE (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION		32 <u>2</u>	AUXILIARY TANK LOCATION	888
MAIN FILLER CAP LOCATION	९ १	113	AUXILIARY FILLER CAP LOCATION	888 25 2
MAIN TANK MATERIAL	Cit	20	AUXILIARY TANK MATERIAL	8 28

TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED (3) RIGHT OF FRAME

- (4) DUAL, RIGHT & LEFT TANKS
 (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
 (9) UNKNOWN

			-			
Duplicate coluntrom the previous		F L Format 0		. Santa	FUEL LEAK	AGE FL-1
		EL LEAKAGE RI D KNOWN LEAKAG	ESULT FROM A E <u>SKIP</u> PAGE.	CRASH EVEN	т <u>О</u>	
	(1) YE	S <u>COMPLETE</u> PA	AGE.			
	1	11	111	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	_		_		21
#2	22 23					29
#3	30 31					37
#4	38 39					45
#5	46 47	_	-	_		53
TANK AREA (11) MAIN FUE VAPOR R (12) AUXILIAR' (13) MAIN TAN (14) MAIN TAN (15) AUXILIAR' (16) AUXILIAR' (19) TANK ARE DELIVERY SYS (21) FUEL FEE TO FUEL (22) FUEL FEE TANK TO	K FILLER TUBE K CAP (GAS CAP) Y TANK FILLER TUBE Y TANK CAP (GAS CAP) EA, DETAILS UNKNOWN STEM D LINE (MAIN TANK PUMP) D LINE (AUXILIARY FUEL PUMP) URN LINE (FUEL TANK)	il	EEC SYSTEM (CONTI	RY HOSES CARBURETOR) EPARATOR OF TANK) ETAILS RTMENT, NKNOWN IKNOWN	(1) MINOR (2) MODERATE (3) SEVERE (4) DISCONNECT (9) UNKNOWN V LOCATION FIRST DIGIT (LONGITUDINAL L (1) F, FORWARD (2) P, BETWEEN (REAR BULK (3) B, BEHIND RE (4) Y, F, & P (5) Z, P, & B (6) D, DISTRIBUTI (F, P & B) (9) UNKNOWN	ED/DEFEATED OF LEAK OCATION) OF COWL COWL & HEAD AR BULKHEAD
(25) FUEL LINE CARBURE (26) CARBURE (27) FUEL PUM (29) DELIVERY UNKNOWN EVAPORATIVE (31) ATMOSPH	E (PUMP TO ETOR OR INJECTOR PL TOR TO INJECTOR PU IP ' SYSTEM, DETAILS	IMP) MP System	TYPE OF DAM (1) DENTED/CRUSHE (2) PUNCTURED (3) RUPTURED (4) SEVERED/GROSS (5) DISCONNECTED/E (9) UNKNOWN	D TEARS	SECOND DIGIT (LATERAL LOCAT: (1) L, LEFT (2) C, CENTER (3) R, RIGHT (4) Y, LEFT CENT: (5) Z, RIGHT CEN (6) D, DISTRIBUTI (F, P & B)	ER <i>(L & C)</i> TER <i>(R & C)</i>

(F, P & B)
(9) UNKNOWN

22

(NON-EEC EQUIPPED) (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

Duplicate columns 1-8 Module F R Format 0 11 11 11 11 11 11 11 11 11 11 11 11 1		FIRE	FR-1				
WAS THERE FIRE IN OR ON CASE VEHICLE? (0) NO <u>SKIP PAGE</u> . (1) YES <u>COMPLETE PAGE</u> .							
DID FIRE START IN CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16				
FLAME PROPOGATION RATE (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE? (0) NO (1) YES (9) UNKNOWN	17				


PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E D Format 0 from the previous card. 9 10 11	1 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING FLEXIBLE COUPLING TYPE	
FOR THE FOLLOWING, USE CODES: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)RELEASED	13	(7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
-DAMAGED	$\frac{O}{14}$	COUPLINGDAMAGED	9
JAMMED	13 0 14 8 15	(USE CODES FROM HOOD PERFORMANCE) -SEPARATED (COMPLETE)	27
HOOD HINGESLEFT, DAMAGED	O 16 X 17	·	
-LEFT, SEPARATED (COMPLETE)	8 17		
-RIGHT, DAMAGED	٥	ENG COMPART TELESCOPING UNIT	
-RIGHT, SEPARATED (COMPLETE)	و ام م	TYPE OF UNIT (00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED	8 8
HOOD REMAINED ON VEHICLE	20	(97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	
REAR EDGE OF HOODELEVATED	- - 21	ORIGINAL LENGTH (mm)	
-CONTACTED WINDSHIELD		F (OR H):	
-PENETRATED WINDSHIELD	23	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION			
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN	24	DIFFERENCE (mm) F (OR H) - G (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MOUNT SEPARATION (COMPLETE) (0) NO (1) YES (9) UNKNOWN	<u>O</u> 25	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 33

		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	& 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		USE CODES: (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR)	
-A-PILLAR, UPPER	35	(9) UNKNOWN	
LOWER	<u>O</u>	-FRONT -REAR	
-B-PILLAR, UPPER	<u>O</u> 37	DOORS JAMMED CLOSED-	
LOWER	38	USE CODES:	
-C-PILLAR, UPPER	$\frac{O}{39}$	(1) YES (8) NOT APPLICABLE <i>(NO DOOR)</i> (9) UNKNOWN	
LOWER	40	-FRONT	45
-D-PILLAR, UPPER	<u>&</u>		46
LOWER	42		
-			

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE	<u>O</u>	WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>
(5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN Hatchback One-way		SPARE TIRE (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (8) NOT COLLECTED (9) UNKNOWN	8 51
Two-way or Clamshell Single door		TRAILER HITCH TYPE (0) NO HITCH BALL-AND-SOCKET TYPES (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON) (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING	52
HOW DID DOOR OPEN DURING COLLISION? (0) DOOR DID NOT OPEN OPENED BECAUSE OF (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN DOOR JAMMED CLOSED (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	8 49 49	OTHER TYPES (5) RING-AND-PINTLE (6) FIFTH-WHEEL (INCL. P/U) (7) OTHER (E.G. CLEVIS-AND-PIN) (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED TRAILER TYPE (AT TIME OF COLLISION) (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	O _{ss}

		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE? (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS PILLARS SEPARATED COMPLETELY - USE CODES: (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN OPENED BECAUSE OF (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>4</u> 55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT	00
LOWER	<u>4</u> 56	-REAR	63 64
-B-PILLAR, UPPER	<u>4</u>	DOORS JAMMED CLOSED-	
LOWER	4 58	USE CODES:	
-C-PILLAR, UPPER	59	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	1
LOWER	٥	-FRONT - -REAR	67
-D-PILLAR, UPPER	8		68
LOWER	<u>&</u>	VAN REAR DOOR TYPE (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>&</u>



Duplicate columns 1-8 from the previous card. Module S C Format C 9 10 10 10	1 12	STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED? EXAMPLES O'CLOCK = 1 2 O'CLOCK = 0 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	<u>4</u>	(NORMAL STRAIGHT AHEAD) O'CLOCK - 29	
STEERING WHL SPOKE DAMAGE (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u> 15	STEERING WHEEL ENERGY ABSORBING DEVICE (1) EXAMPLES: BARRACUDA, 70-74 CHALLENGER, 70-74 CAPRI, 71-77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
(0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	16	TYPE OF DEVICE (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm) A: DAMAGE DIMENSION (mm) B: DIFFERENCE (mm)	
TELESCOPING FEATURE (0) NOT EQUIPPED (1) YES, EQUIPPED (9) UNKNOWN IF EQUIPPED	<u>O</u>	A - B (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8

	-	STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	<u>∂</u>
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:			
COMPRESSED LENGTH (mm) D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:	-		
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 30	-	
COLUMN VERTICAL ROTATION			
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u>		
COLUMN LATERAL ROTATION		*	İ
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	<u>O</u> 32		

						Іпт	RUSIC	N IT-1	
					(All Measurements Are in	Centimeters)		Dominant	
Location of Intrusion		Intruded	Component	Compari Value	Comparison Intruded Value – Value = Intrusion				
13		SIDE	DOOR	63	- 47	= 16	4	EFT	
13			PANEL	56	- 25	= 27		LEFT	
13		A-PI	llan	61	- <i>5</i> 3	= 8		LEFT	
/3		B-P11		61	- 49	= /2		LEFT	
						=			
					-	=			
						=			
						=			
					_	=			
						=			
				-	-	=			
						==			
						=			
					_	=			
						=			
						=			
			0	CCUPANT C	ONTACT WORKSHEE	T			
Contact	Co	nterior mponent ontacted	Occupant No. if Known	Body Region if Known		hysical Evidence		Confidence Level of Contact Point	
Α	20	WER LD	1	KNEE	7cm cons	SCOFF		1	
В		eba 7	1	FACE	MAKEUP			,	
C									
D									
E									
F									
G									
Н									
l									
J									

CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

FIRST DIGIT

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.


(1)	LEFT	(3)	RIGHT	•••••	•••••••••••••••••••••••••••••••••••••••	INDIVIDUAL SEAT
(1)	LEFT	(2)	CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT		LEFT CENTER		RIGHT (3) RIGHTCENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT &	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2)	CENTER		RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE V	/EH	ICLE WIDTH	•••••		CARGO AREA

EXAMPLES

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY



CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

INDIVIDUAL COMPONENT

INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

EXTERNAL

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

(50)WINDSHIELD HEADER A-PILLAR

ROOF SIDE RAIL

- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR
- WINDSHIELD HEADER
 (53)DOOR PANEL
- B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60)ROOF ROOF RAIL A-PILLAR B-PILLAR C-PILLAR
 - B-PILLAR C-PILLAR WINDOW FRAME DOOR PANEL FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62)ROOF
 ROOF RAIL
 C-PILLAR
 WINDOW FRAME
 FLOOR PAN
 SECOND SEAT
 DOOR PANEL
- (63)ROOF RAIL
 ROOF
 B-PILLAR
 WINDOW FRAME
 FLOOR PAN
 DOOR PANEL
 SECOND SEAT
 FRONT SEAT
- (64)ROOF RAIL
 ROOF OR CONVERTIBLE TOP
 A-PILLAR
 B-PILLAR
 WINDOW FRAME
 WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 Module _ from the previous card.	I T Format 0 9 10 11	1 12		÷.	INTE	RUSION	IT-5					
WAS THERE OCCUPANT COMF (0) NO <u>PO NOT ANSWER NEXT</u> (1) YES <u>ANSWER NEXT QUESTION</u> (9) UNKNOWN <u>SKIP PAGE</u> .	QUESTION. <u>SKIP PA</u>	1	/ v	(0) NO (1) YES	COMPLETE PAG		<u>O</u>					
Duplicate columns 1-8 Module i T Format 0 2 from the previous card. NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.												
CODES FO	INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY											
A B C INTRUDING A INTRUSION OCC. COMPONENT I NUMBER SPACE NO. OR OBJECT		F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER					
13-14 15-16 17-18	19 20-21	22-23	24-25	26-27	28-29	30-31	32-33					
<u>01 13 09</u>	1 00	16	00	00	0	<u>00</u>	00					
<u>02 13 29</u>	1 00	27	00	<u>00</u>	00	_00	00					
03 13 08	1 00	_08_	00	00	00	_00	00					
<u> </u>	1 00	12	00	00	00	<u>00</u>	00					
0 5												
06			· — —				——					
0 7 NOTE: USE ADDITIONAL PAGE IF MORE THA	N 7 INTRUSIONS.											
		<u>3</u> 12										
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM	IF DA DOO! INTRU NUMB	R INTRUS SION	DOOR CO HON, CODE DAMAGED DMPONENT 1	DMPONENT E COMPONE DAMA COMPON	ENT GED NENT 2	O IN INCRE						
INTRUSION CAUSE CODES FOR CAUSE:	A	- -	_ _ _	25 29 33	- () - () - () - ()	0) NONE 1) A-PILLAR 2) B-PILLAR 3) C-PILLAR 4) LATCH/STRI 5) HINGES 7) OTHER: 8) NOT APPLIC 9) UNKNOWN	KER					

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>T</u> Format <u>0</u> <u>2</u> <u>11</u> 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT		E MAXIMUM INTRUSION X AXIS (cm)	F MAXIMUM INTRUSION Y AXIS (cm)		H OCCUPANT NUMBER	I INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8			_							
0 9			_							
1 0			_							
1 1										
1 2			_							
1 3										
1 4			_							
<u>1</u> <u>5</u>										
<u>1</u> 6			_							
1 7			_							
1 8	_ *									
19										
20										
2 1			_							
22			_							
2 3			_							
2 4										
2 5			_		<u> </u>					
			÷							

Duplicate columns 1-8 from the previous card.	Module 1	D Format 0 1 12	, In	ITERIOR DAMAGE [D-1
CO	(0) NC (1) YE (3) NC		(4) YES, and (8) NOT APPL		
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	O 13 O 15 O 17 O 19 O 12 O 12 O 12 O 12 O 13 O 13 O 13 O 13	FRONT FOOT CONTROLS IGNITION KEYS IGNITION KEYS REAR VIEW MIRROR SUNVISOR/FITTINGS (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES WINDSHIELD TOP MOLDINGS LEFT A-PILLAR (UPPER OR LOWER) RIGHT A-PILLAR (UPPER OR LOWER) CENTER CONSOLE TRANSMISSION SELECTOR LEVER RIM, HORN, SPOKE	0 40 40 40 40 50 50 50 50 54	INSTRUMENT PANEL UPPER PANEL MID PANEL LOWER PANEL ASHTRAY CONTROL KNOBS & LEVERS GLOVE COMPARTMENT AREA INSTRUMENTS PARKING BRAKE RELEASE PARKING BRAKE PEDAL A/C OR UPPER VENT OUTLETS HEATER OR A/C DUCTS RADIO OTHER: *	0 50 53 5750 50 50 50 20 50 50 50 50 50 50 50 50 50 50 50 50 50
OTHER: *	43	42 8 44		REAR WINDOW WINDOW HEADER	68 <u>G</u>
				CONSOLES VERTICAL ROOF	<u>Q</u> 70 8 71

^{*} MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 Module S T from the previous card. 9 10	Format <u>0</u>		SEATS	(ST-1
FRONT SEAT TYPE OF FRONT SEAT	DRIVER	PASSENR	FRONT SEAT-BACK	DRIVER	PASSENT
(00) NO SEAT (01) STANDARD BENCH (02) SPLIT BACK, 50-50 (03) SPLIT BACK, DRIVER WIDE (04) SPLIT BACK, PASS. WIDE (05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE	<u>Ø.5</u> 13 14	15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	3	3
(97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	/
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	20	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		22	(9) UNKNOWN RECLINER MECHANISM HELD (0) NO		/
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	23	8 24	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	
FRONT SEAT DAMAGE (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	25	3 26 1 w7 (cds	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE	38	/ 39
CENTER ARMREST DAMAGED (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	27	-	(9) UNKNOWN REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u>	<u>O</u>
FRONT SEAT ROTATION	0	2	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN	2	2 43
(0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	28	ي	HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	<u>O</u>

			Sı	EATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENT	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN ADJUSTMENT PROVIDED	46	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	Č	\$
(1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Rіgнт
SEAT ADJUSTER DAMAGE (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	50	<u>2</u>	FOR THE FOLLOWING, USE: (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	8 / ₅₂	<u></u> 53	LEFT OR CENTER, EQUIPPED LEFT OR CENTER, HELD (3) SEAT FOLDED DOWN RIGHT, EQUIPPED	ဟ် _ရ ဟ် _ခ ယ် န	क्षि हाळ हाक
PRE-CRASH POSITION (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	<u>]</u>	3 55	RIGHT, HELD (3) SEAT FOLDED DOWN THIRD SEAT	65 8 67	66 88
SECOND SEAT TYPE OF SECOND SEAT (0) NONE	LEFT	Rіднт	EQUIPPED BACKREST DAMAGED	0 5 (6) 7 (0 70 6 72 60 74
 (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT 	56		CUSHION DAMAGED	73	74
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	58	59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN Applies to any rear-seat position	7	

Duplicate columns 1-8 Module A B Format 0 from the previous card.	1 12	AIRBAG	AB-1
DRIVER SIDE LOCATION OF AIRBAG STEERING WHEEL EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) EQUIPPED (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u></u>	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX) (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPED/NOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	
DRIVER SIDE AIRBAG STEERING WHEEL TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	19	PASSENGER SIDE AIRBAG INSTRUMENT PANEL (GLOVE BOX) TETHER (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	21
(0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	/ 20	MARKED BY CONTACT (0) NO (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	0 2

	AIRBAG	AB-2
AIRBAG NUMBER ON DRIVER SIDE:		
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		
2 vens		
83 L k=45-71		
AIRBAG NUMBER ON PASSENGER SIDE:		·
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		

NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 from the previous card. Module O C Format 0 9 10 11	12	Occupant Information (OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER ROLE OF OCCUPANT AT 1ST IMPACT (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	O1 13 14 15	PHYSICAL DESCRIPTION AGE IN YEARS (00) LESS THAN 1 YEAR (98) 98 YEARS OR OLDER (99) UNKNOWN AGE IN MONTHS (00) LESS THAN 1 MONTH (25) 25 MONTHS OR OLDER (99) UNKNOWN	$\frac{20}{20} \frac{0}{21}$ $\frac{25}{22} \frac{5}{23}$
OCCUPANT POSITION ROW LOCATION (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER: (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg) (999) UNKNOWN / 30 HEIGHT (cm) 5 / 4 (999) UNKNOWN SEX (1) MALE (2) FEMALE (9) UNKNOWN	059 24 25 28 / 63 27 28 29 30
LATERAL LOCATION (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER - (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS TREATMENT/MORTALITY (00) NONE (01) FIRST AID AT SCENE (02) TREATED AT HOSPITAL/CLINIC BUT NOT ADMITTED (03) HOSPITALIZED FOR OBSERVATION LESS THAN 24 HOURS (04) HOSPITALIZED OVER 24 HOURS OR FOR SIGNIFICANT TREATMENT (05) FATAL, DEAD AT SCENE (06) FATAL, DOA	0 31 32
POSTURE (10) SITTING ON SEAT (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS) (12) SITTING ON CONSOLE (20) ON LAP OR IN ARMS (30) STANDING ON SEAT (40) STANDING ON FLOOR (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT (50) IN BASSINET (60) IN CHILD SEAT	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN INJURY SEVERITY SCORE (ISS) (99) UNKNOWN NON-IMPACT MED. CONDITIONS	<u>O</u> 3/34
(65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (97) OTHER: (99) UNKNOWN		(0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT———————————————————————————————————	35

		Occupant Information ()C-2
MEDICAL CONDITIONS (CONT.) POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	<u>O</u> 36	CHILD SEAT TYPE (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN CHILD SEAT MAKE/MODEL	<u>\$</u> 8/41 42
RESTRAINT SYSTEM ACTIVE RESTRAINT SYSTEM (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS	3 37	EJECTION DEGREE OF EJECTION (0) NONE (1) PARTIAL	<u></u>
(9) UNKNOWN ACTIVE RESTRAINT SYSTEM USAGE (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN	38	(2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED AREA OF EJECTION (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA	98 44 45
(0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN	39	(96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED IF OCCUPANT WAS EJECTED, DESCRIBE IN DETAIL BELOW:	
PASSIVE RESTRAINT SYSTEM USAGE (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	2 40	HEAD RESTRAINT HEAD RESTRAINT AVAILABLE FOR THIS POSITION (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	46

		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN	0 47	SOURCE OF INFORMATION (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	48

OCCUPANT INFORMATION OC-4

INDICATE LOCATION OF INJURIES.



INJURY CLASSIFICATION IC-1

Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

NOTE: Each line in the table below is a separate record (card).


Duplicate columns 1 - 12 for each completed line.

OCCUPANT INJURY CLASSIFICATION

					PRIMARY OIC			ASSOCIATED OIC					C	OMMEN	VTS		
OCCUPANT NUMBER	INJURY NUMBER	PROBAL START V IN 1ST C	BILITY (HOR WITH MOST CONTACT A	IN ORDER OF IZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15	BODY REGION 1	ASPECT O	LESION 3	SYSTEM/ORGAN 4	SEVERITY 45			
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30			
OL	01	98	<u>87</u>		N	.0	1	N	1 /	_			_		,		*
	<u>02</u>	87			F	<u>_</u>	<u>C</u>	I	<u>/</u>	_	_						
	03	87			F	<u>_</u>	<u>c</u>	I			_	_	_	_			
	04	87			F	R	<u>_</u> c	I	1	_	_			_			
	05	34	87		<u>c</u>	<u>_</u>		<u>S</u>	<u>/</u>	_	_	_	_	_			
	<u>06</u>	34	87		<u>C</u>	<u>R</u>	<u>c</u>	<u>s</u>	<u>/</u>	_		_	_	_			
	07	<u>87</u>			R	<u>८</u>	<u>c</u>	I			_	_	_				
	08	<u>87</u>			W	R	_A	I		_			_	_	•		
each lin	09	56			K	<u>_</u>	<u>_</u>	I	<u></u>	_	_		_	_			
le "Occupant Number" for each line.	10	<u>56</u>			K	R	<u>c</u>	I	/		_	_	_				
pant Nu					_			_	_	_	_	_	_	_			
ate "Occi					_	_	_	_	_		_	_		_			
- Duplicat						_	_		_	_	_			_			
					_	_	_		_	_	_	_		_			
							_	_	_		_	_		_			
					_	_	_			_	_	_		_			
					-	_				_	_	_	_				
					-		_	_	_	_	_		_	_			

CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	· · ·	(19)	
(/			
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(13)	
(54)	•	(24)	COAT HOOK
	, ,		
(55)	` , ,	(22)	
(56)	the state of the s	(21)	WINDOW FRAMES (SIDE)
(81)	· · · · · · · · · · · · · · · · · · ·		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL		C-PILLAR
(53)	PARCEL TRAY		D-PILLAR
(48)	KNEE RESTRAINT	(,	o i ideati
(86)	VERTICAL CONSOLE	FLOOR	
(55)	TEITHORE GOINGGE		FLOOD
(28)	FOOT CONTROLS (INCL. PARKING PRAKE REDAL)	(40)	
(26)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)		CONSOLE ON FLOOR OR BETWEEN SEATS
		(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN		
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)		ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)		
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)		SUNVISOR, FITTING(S) &/OR TOP MOLDING
(84)	PARKING BRAKE HANDLE IN FRONT	(26)	
		(24)	
(67)	IGNITION KEY	(18)	
(06)	MIRROR	(39)	BACKLIGHT HEADER
(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	• •	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES		OUTSIDE SURFACE OF CASE VEHICLE
(,		(0.7	(SPECIFIC AREA UNKNOWN)
REAR		(05)	•
	CLIDEACE OF DEAD INTEDIOD	(35)	HOOD OF CASE VEHICLE
(88)		(60)	EXTERIOR OF CASE VEHICLE (E.G.
	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)	·	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
(50)	REAR SEAT CUSHION & BACK	(63)	TRUNK LID OF CASE VEHICLE
		(64)	TIRES OF CASE VEHICLE
INTERIOR	R-GENERAL	, ,	
(11)	TRANSMISSION SELECTION LEVER (LOCATION UNK.)	BEYOND	CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	
	PARKING BRAKE HANDLE (LOCATION UNKNOWN)		HOOD OF OTHER VEHICLE
		(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
		(75)	TRUNK OF OTHER VEHICLE
(29)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
(51)	FRONT SEAT CUSHION	(77)	TIRES OF OTHER VEHICLE
(50)	REAR SEAT CUSHION & BACK	(78)	GROUND
(49)	ARMREST ON SEAT	(79)	WATER
, ,	UNDER SEAT BOTTOM		
(03)	ONDER DEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
(22)	RESTRAINT SYSTEM HARDWARE		OR WATER. PLEASE DESCRIBE.)
		5	
	RESTRAINT SYSTEM WEBBING		ATING OBJECTS
	AIR CUSHION SKIN (AIRBAG)	(61)	OTHER VEHICLE
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(72)	OBJECTS (DESCRIBE)
(46)	AIRBAG GAS		·
(48)	KNEE RESTRAINT	MISCELL	ANEOUS
	HEAD RESTRAINT		NO CONTACT (INVALID FIELD FORM CODE)
	CHILD SEAT RESTRAINTS		OTHER (E.G. FIRE. DESCRIBE)
	CHILD SEAT		•
		(90)	
	INTERIOR LOOSE OBJECT	(96)	
	OTHER OCCUPANT(S)	(97)	• • • • • • • • • • • • • • • • • • • •
	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	•
(41)	UNKNOWN INTERIOR SURFACE		HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT



CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

SYSTEM/ORGAN 4 LESION 3 ASPECT Q BODY REGION 1

5 SEVERITY (OR *AIS*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN









































98 #2









































PN 3498 #40